

Division 10 21 23

Disposable Cubicle Curtains Specifications

PART 1 - GENERAL

1.1 SUMMARY

A. Privacy Curtain

1.2 SECTION INCLUDES

A. Disposable Cubicle Curtains

1.3 REFERENCES

A. National Fire Protection Association (NFPA) 701

1.4 SYSTEM DESCRIPTION

A. Performance Requirements: Provide disposable privacy curtains that conform to the following requirements of regulatory agencies and the quality control of Cube Care Company.

1. Fire Performance Characteristics: Provide curtains that conform with NFPA 701, Fire Tests for Flame and Resistant Textiles and Films.

1.5 SUBMITTALS

A. Product Data: Manufacturer's printed product data for each type of disposable privacy curtain specified.

B. Fabric Samples: Swatch cards of fabric samples illustrating fabric color and weave.

1.6 DELIVERY, STORAGE AND HANDLING

A. Deliver materials in unopened factory packaging to the shipping address requested.

B. Inspect materials at delivery to assure that specified products have been received.

C. Store in original packaging in a climate controlled location away from direct sunlight and away from wet environments.

D. Packages may include a packing slip to reference order in accordance to the order request.

1.7 PROJECT CONDITIONS

A. Environmental Requirements: Products must be installed in an interior climate controlled environment.

1.8 WARRANTY

A. Warranty agreeing to repair or replace curtains, hardware or materials due to faulty workmanship or installation for a period of one (1) year.

PART 2 - PRODUCTS

2.1 MANUFACTURER

A. Provide cubicle curtain system as produced by one manufacturer.

B. Approved manufacturers, Basis of

Design: Cube Care Company
6043 NW 167th Street, Suite
A-23 Miami Lakes Florida
33015

P: 305.556.8700

F: 305.556.8787

wecare@cubecare.com

Division 10 21 23

Disposable Cubicle Curtains Specifications

www.cubecare.com

C. Substitutions are not permitted. Provide Cubicle Curtains from Cube Care Co. in accordance with specifications, drawings, and contract documents.

2.2 MATERIALS

A. Disposable Privacy Curtain

1. Fabric: Provide 100% non-woven polypropylene with a thickness of 120 GSM.

2. Open Mesh Cloth: Curtain heading of open weave polyester mesh material with 1/2" (12.7mm) holes to permit air and steam circulation. Mesh is NFPA 701 flame retardant.

2.3 FINISH AND COLOR

A. Disposable Cubicle Privacy Fabric: Select material color from manufacturer's standard disposable material selection.

B. Open Mesh Cloth: Provide curtain mesh material in white.

C. Solid, Patterned and Licensed Pattern

2.4 FABRICATION

A. Disposable Privacy Curtain

1. Standard sizes with 20" White Mesh

a. 100" W x 100" H, 30 curtains per case.

b. 200" w x 100" H with 20" White Mesh, 30 curtains per case.

c. It's a Snap Panel 66" x 66" (metal or plastic snaps)

d. Architex Designer Patterns; 100" W x 100" H and 66" x 66" panels

Note: We are able to tailor lengths. For any custom orders, please don't hesitate to contact us.

Cube Care Company

6043 NW 167th Street, Suite

A-23 Miami Lakes Florida

33015

P: 305.556.8700

F: 305.556.8787

wecare@cubecare.com

www.cubecare.com

B. Each curtain includes a Velcro tie back 20" inches from Mesh.

C. Curtains are individually wrapped in plastics sleeves.

D. Curtains come standard with self-auditing label. Time strips available upon request and pricing options.

2. Curtain Heading: Heading have open mesh cloth, to the same width as the curtain fabric. Heading shall include 3/4" (19mm) white plastic grommets, 5.9" (149.9mm) on center for carriers. Mesh is sewn with fabric on sides of mesh and top of mesh banding (where grommets are placed). Mesh is "framed".

PART 3 - EXECUTION

3.1 EXAMINATION

A. Examine areas and conditions in which the cubicle tracking systems will be installed.

1. Complete all finishing operations, including painting, before beginning installation of cubicle tracking system materials.

2. Verify that surfaces and above ceiling supports are ready to receive work.

Division 10 21 23

Disposable Cubicle Curtains Specifications

3.2 PREPARATION

A. General: Prior to installation, clean substrate to remove dust, debris and loose particles.

3.3 INSTALLATION

A. Curtain Carrier: Provide curtain carrier adequate for 6 inch spacing along full length of curtain.

B. Curtains: Hang curtains on each curtain track. Secure with curtain tie back.

3.4 CLEANING

A. At completion of the installation, remove any debris and clean surfaces in accordance with the manufacturer's clean-up and maintenance instructions.

PART 4 - MAINTENANCE INSTRUCTION

A. Remove if curtain becomes soiled and discard disposable cubicle curtain by direction of facility standards.

END OF SECTION